



 LORENZOLINE

150BC

Bioclimatic System

150BC

BIOCLIMATIC SYSTEM BIOKLİMATİK SİSTEM




- Provides natural light thanks to aluminium and glass lamellas combination.
- Quicker installation thanks to practical connection accessories.
- More durability thanks to reinforced lamella covers.
- Longer life thanks to stainless steel fasteners.
- Bioclimatic and Rolling Roofs can be built with the same profiles.
- Special gutter solutions for water sealing.

- Alüminyum lamel ve cam lamel kombinasyonu ile doğal ışık imkanı,
- Pratik birleşim aksesuarları sayesinde daha hızlı montaj imkanı.
- Güçlendirilmiş lamel kapakları sayesinde daha sağlam,
- Paslanmaz bağlantı elemanlarıyla sayesinde daha uzun ömürlü,
- Aynı profillerle Bioclimatic ve Rolling Roof yapabilme,
- Su sızdırmazlık için özel oluk çözümleri,



PROFILES
PROFILLER



CODE / KOD

150BC-101-00

THEORETICAL WEIGHT
TEORİK AĞIRLIK (kg/m)


5.108

CODE / KOD

150BC-102-00

THEORETICAL WEIGHT
TEORİK AĞIRLIK (kg/m)

1.291




CODE / KOD

150BC-201-00

THEORETICAL WEIGHT


TEORİK AĞIRLIK (kg/m)

3.850




CODE / KOD
150BC-211-00

THEORETICAL WEIGHT
TEORİK AĞIRLIK (kg/m)
1.247




CODE / KOD
150BC-212-00

THEORETICAL WEIGHT
TEORİK AĞIRLIK (kg/m)
1.233




CODE / KOD
150BC-213-00

THEORETICAL WEIGHT
TEORİK AĞIRLIK (kg/m)
1.032



CODE / KOD
150BC-503-00

THEORETICAL WEIGHT
TEORİK AĞIRLIK (kg/m)
0.567




CODE / KOD

150BC-301-00

THEORETICAL WEIGHT

TEORİK AĞIRLIK (kg/m)

4.815




CODE / KOD

150BC-302-00

THEORETICAL WEIGHT

TEORİK AĞIRLIK (kg/m)

1.299




CODE / KOD

150BC-303-00

THEORETICAL WEIGHT

TEORİK AĞIRLIK (kg/m)

2.157




CODE / KOD

150BC-304-00

THEORETICAL WEIGHT

TEORİK AĞIRLIK (kg/m)

1.300




CODE / KOD

150BC-401-00

THEORETICAL WEIGHT

TEORİK AĞIRLIK (kg/m)

8.080



CODE / KOD

150BC-402-00

THEORETICAL WEIGHT
TEORİK AĞIRLIK (kg/m)


1.291

CODE / KOD

150BC-403-00

THEORETICAL WEIGHT
TEORİK AĞIRLIK (kg/m)

2.004




CODE / KOD

150BC-501-00

THEORETICAL WEIGHT
TEORİK AĞIRLIK (kg/m)

1.507








CODE / KOD

07-126-00






THEORETICAL WEIGHT
TEORİK AĞIRLIK (kg/m)



0.419



DETAILS
DETAYLAR





No scaled / Ölçeksiz










No scaled / Ölçeksiz

ACCESSORIES
AKSESUARLAR

ACCESSORIES / AKSESUARLAR

PACKAGE CODE PAKET KODU	PICTURE / RESİM	DESCRIPTION AÇIKLAMA	PACKAGE CODE PAKET KODU	PICTURE / RESİM	DESCRIPTION AÇIKLAMA
AC150BC-201		LAMELLA CAP SIDE SET LAMEL YAN KAPAK TAKIMI	AC150BC-611		MIDDLE STEEL BRACKET ORTA ÇELİK BRAKET
AC150BC-251		GLASS LAMELLA CAP SIDE SET CAM LAMEL YAN KAPAK TAKIMI	AC150BC-261		LAMELLA SUPPORT WEDGE LAMEL DESTEK TAKOZU
AC150BC-202		PULLEY RULMAN	AC150BC-510		TRIGER CONNECTION PART TRIGER BİRLEŞİM ELEMANI
AC150BC-221		FRICTION HINGE BIOCLIMATIC MAKAS BİOKLİMATİK	AC150BC-231		ROPE RING HALAT YÜZÜĞÜ
AC150BC-401		MAIN RAIL BRACKET ANA RAY MONTAJ PLAKASI	AC150BC-232		COATED STAINLESS ROPE KAPALAMALI PASLANMAZ HALAT
AC150BC-101		POST BRACKET KOLON ANKRAJİ	AC150BC-233		ALUMINUM WASHER ALÜMİNYUM PUL
AC150BC-502		TRIGER TENSION SET TRIGER GERGİ TAKIMI	AC150BC-570		WALL BRACKET DUVAR ANKRAJİ
AC150BC-550		LAMELLA LOCK SET LAMEL KİTLEME BRAKETİ	AC150BC-602		80x160x6mm STEEL PROFILE ÇELİK PROFİL

ACCESSORIES / AKSESUARLAR





PACKAGE CODE PAKET KODU	PICTURE / RESİM	DESCRIPTION AÇIKLAMA	PACKAGE CODE PAKET KODU	PICTURE / RESİM	DESCRIPTION AÇIKLAMA
AC150BC-501-40		BRUSH FİRÇA	AC150BC-582		TUBULAR MOTOR WITHOUT RECIEVER ALICILI TÜP MOTOR
AC07-126A		LED PROFILE DIFFUSER LED PROFİL DİFÜZÖRÜ	AC150BC-584		TUBE HEAD BORU BAŞI
AC07-126B		LED PROFILE CORNER LED PROFİL KÖŞE ELEMANI	AC150BC-584		MOTOR TRIGER GEAR MOTOR TRIGER DİŞLİSİ
EM145WG-20/D		GUTTER FILTER OLUK SÜZGEÇİ	AC150BC-500		TRIGER BELT TRIGER KAYIŞ T10
EM145WG-30		POST DRAINAIGE CAP KOLON TAHLİYE KAPAĞI	AC150BC-591		CONTROL PANEL KONTROL ÜNİTESİ
AC150BC-301		HOLE TEMPLATE DELİK ŞABLONU (150BC-301-00)	AC150BC-592		REMOTE CONTROL KUMANDA
AC150BC-580		TUBULAR MOTOR BRACKET TÜP MOTOR ANKRAJ	AC150BC-593		INSULATED LED (Daylight) İZOLELİ LED (Gün Işığı)
AC150BC-583		OCTAGONAL TUBE SEKİZGEN BORU	AC150BC-594		LED TRANSFORMER LED TRAFOSU

ACCESSORIES / AKSESUARLAR

PACKAGE CODE PAKET KODU	PICTURE / RESİM	DESCRIPTION AÇIKLAMA
AC150BC-562		LINEER MOTOR BRACKET SET LİNEER MOTOR BRAKET TAKIMI
AC150BC-561		LINEER MOTOR LİNEER MOTOR
AC150BC-701		CORNER COVER SHEET SET KÖŞE KAPAMA LEVHA
AC150BC-702		BACK COVER SHEET SET ARKA KAPAMA LEVHA
EM150BC-201		LAMELLA GASKET LAMEL FİTİLİ
EM150BC-304		MOTOR LAMELLA GASKET MOTOR LAMEL FİTİLİ
EM150BC-403		ISOLATION GASKET İZOLASYON FİTİLİ




ASSEMBLY DETAILS
MONTAJ DETAYLARI

MAIN CONSTRUCTION & ANA KONSTRÜKSİYON



NOTCH / KERTME

150BC-201-00



TUBULER MOTOR MONTAJI & TUP MOTOR MONTAJI

AC150BC-580
TUBULAR MOTOR
BRACKET
TUP MOTOR ANKRAJ



AC150BC-582
OCTAGONAL TUBE
SEKİZGEN BORU




AC150BC-581
TUBULAR MOTOR
TUP MOTOR



AC150BC-583
TUBE HEAD
BORU BAŞI




AC150BC-584
MOTOR TRIGER
GEAR
MOTOR TRİGER
DİŞLİSİ



YHB 3.9x9.5
DIN 7982 - A2
M5x30 DIN 912
İmbus Civata
AC150BC-583


AC150BC-584

AC150BC-582




MODUL WIDTH - 275 MM
MODÜL GENİŞLİĞİ - 275 MM

AC150BC-580



150BC-302-00

AC150BC-580






150BC-301-00

LAMELLAS STEEL SUPPORT MONTAGE
LAMEL ÇELİK DESTEK MONTAJI





Steel Box Profile (80x160x6)
Çelik Kutu Profil
AC150BC-611




LAMELLAS SUPPORT WEDGE MONTAGE
LAMEL DESTEK TAKOZ MONTAJI

MONTAGE REFERENCE
MONTAJ REFERANSI



FRONT SIDE
ÖN TARAF

ENGINE SIDE
MOTOR TARAFI




LAMEL START POINT / LAMEL BAŞLANGIÇ
45 MM

LAMELLAS QUANTITY LAMEL SAYISI	MODULE DEPTH MODÜL DERİNLİĞİ	
3	890	1045
4	1097	1252
5	1304	1459
6	1511	1666
7	1718	1873
8	1925	2080
9	2132	2287
10	2339	2494
11	2546	2701
12	2753	2908
13	2960	3115
14	3167	3322
15	3374	3529
16	3581	3736
17	3788	3943
18	3995	4150
19	4202	4357
20	4409	4564
21	4616	4771
22	4823	4978
23	5030	5185
24	5237	5392
25	5444	5599
26	5651	5806
27	5858	6013
28	6065	6220
29	6272	6427
30	6479	6634
31	6686	6841
32	6893	7048
33	7100	7255
34	7307	7462
35	7514	7669
36	7721	7876
37	7928	8083

LAMELLA QUANTITY TABLE & LAMEL ADET TABLOSU

FRONT SIDE
ÖN TARAF

ENGINE SIDE
MOTOR TARAFI




LAMEL START POINT / LAMEL BAŞLANGIÇ
70 MM

LAMELLAS QUANTITY LAMEL SAYISI	MODULE DEPTH MODÜL DERİNLİĞİ	
3	1046	1070
4	1253	1277
5	1460	1484
6	1667	1691
7	1874	1898
8	2081	2105
9	2288	2312
10	2495	2519
11	2702	2726
12	2909	2933
13	3116	3140
14	3323	3347
15	3530	3554
16	3737	3761
17	3944	3968
18	4151	4175
19	4358	4382
20	4565	4589
21	4772	4796
22	4979	5003
23	5186	5210
24	5393	5417
25	5600	5624
26	5807	5831
27	6014	6038
28	6221	6245
29	6428	6452
30	6635	6659
31	6842	6866
32	7049	7073
33	7256	7280
34	7463	7487
35	7670	7694
36	7877	7901
37	8084	8108

FRONT SIDE
ÖN TARAF

ENGINE SIDE
MOTOR TARAFI




LAMEL START POINT
70 MM
LAMEL BAŞLANGIÇ + MOVING "150BC-303-00"
YERİNİN DEĞİŞTİRİLMESİ

LAMELLAS QUANTITY LAMEL SAYISI	MODULE DEPTH MODÜL DERİNLİĞİ	
3	1071	1096
4	1278	1303
5	1485	1510
6	1692	1717
7	1899	1924
8	2106	2131
9	2313	2338
10	2520	2545
11	2727	2752
12	2934	2959
13	3141	3166
14	3348	3373
15	3555	3580
16	3762	3787
17	3969	3994
18	4176	4201
19	4383	4408
20	4590	4615
21	4797	4822
22	5004	5029
23	5211	5236
24	5418	5443
25	5625	5650
26	5832	5857
27	6039	6064
28	6246	6271
29	6453	6478
30	6660	6685
31	6867	6892
32	7074	7099
33	7281	7306
34	7488	7513
35	7695	7720
36	7902	7927
37	8109	-

FRICION MONTAGE & MAKAS MONTAJI

AC150BC-221


FRICION HINGE
BIOCLIMATIC
MAKAS BİOKLİMATİK




LAMELLA MONTAGE & LAMEL MONTAJI




ALUMINIUM LAMELLA / ALÜMİNYUM LAMEL




GLASS LAMELLA / CAM LAMEL






LAMELLA MONTAGE / LAMEL MONTAJI




LAMELLA LOCK SET / LAMEL KITLEME MONTAJI




TRIGER BELT MONTAGE & TRIGER KAYIŞ MONTAJI





The stainless rope should be fixed when distance between the lamellas is correctly adjusted.
Lameller arası mesafesi doğru şekilde ayarlandıktan sonra halat sabitlemesi yapılır.



FINISHING COVER MONTAGE & BİTİŞ KAPAMA MONTAJI



AC150BC-561 & AC150BC-562



**NOTCH / KERTME
150BC-304-00**

